Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

| A CHARLES A PROPERTY OF THE PR |
|--|
| |
| |
| |
| |
| |
| |
| |

IF UNDELIVERED RETURN TO


LOUISVILLE SEED CO.

INCORPORATED

Exclusively Wholesale

831 W. Main Street - LOUISVILLE, KY.

RETURN POSTAGE GUARANTEED



Sec. 562 P. L. & R.
u. s. postage
PAID
LOUISVILLE, KY.
PERMIT No. 60

Horticultural Cross & Diseases, U. S. Dest. of Agriculture, Washington, D. C.

PRICE LIST

Today's Most Important Mail

| , | |
|---|-----------------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | * * * |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | * * |
| | |
| | |
| | |
| | · Yan a same and the same and the |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



Subject to immediate acceptance and market change we quote f.o.b. Louisville,

MARCH 13th, 1940

| Seeds Ar | e Sold | For | Cash |
|----------|--------|-----|------|
|----------|--------|-----|------|

Terms: Draft with bill of lading attached. Open shipments subject to sight draft within ten days.

| RED CLOV | ER | PER TOO I BY |
|----------------------|---------|--------------|
| | 1 to 4 | 6 bags |
| Gold Medal | \$19.50 | \$19.00 |
| Choice | | |
| | | 17.00 |
| | | 17.00 |
| SAPLING CI | LOVER | |
| Gold Medal | \$20.00 | \$19.50 |
| Choice | | |
| R. C | 18.00 | 17.50 |
| | | |
| | | |
| ALSIKE | | |
| Gold Medal | \$23,50 | \$23.00 |
| | 22.00 | |
| R. C | 20.00 | 19.50 |
| | | |
| ALFALI | FA | |
| Gold Medal Kansas | | \$24.00 |
| Gold Medal Okla | | |
| | | * |
| | | |
| GRIMM A | LFALFA | |
| Gold Medal Kansas | | |
| Gold Medal Okla | | |
| | | |
| | | |
| SWEET CLO | VER | |
| Gold Medal Wh. Blo. | \$7.00 | \$6.75 |
| Gold Medal Yel. Blo. | | 7.25 |
| Unhulled White Blo. | | 5. 25 |
| | | |
| | | |
| KORLA | N | |
| Gold Medal | \$6.50 | \$6.25 |
| Choice | 5.75 | 5.50 |
| R. C | 5.25 | |
| | | |
| | | |

| arket change we quote f.o.b. Louisvill |
|--|
| TIMOTHY |
| PER 100 LBS |
| bass or more |
| |
| Abe(99% pure) 6.25 6.00 |
| Choice 5.75 5.50 |
| R. C 5.25 5.00 |
| ORCHARD GRASS |
| Gold Medal \$18.00 \$17.50 |
| Choice 17.50 17.00 |
| R. C 16.50 16.00 |
| R. G 10.30 10.00 |
| KENTUCKY BLUE GRASS |
| Gold Medal \$20.50 \$20.00 |
| Choice 20.00 19.50 |
| Extra Heavy Fancy . 25.00 24.50 |
| |
| RED TOP |
| Gold Medal \$11.25 \$11.00 |
| Abe (90% pure) 11.00 10.75 |
| Choice 10.50 10.25 |
| R. C 10.25 10.00 |
| |
| PASTURE MIXTURE |
| Contains Red Clover, Red Top, Tim- |
| othy, Orchard Grass, Korean. |
| \$8.50 \$8.00 |
| DVE CDACC |
| RYE GRASS Gold Medal |
| Gold Medal 50.50 \$6.25 |
| FODDER CANE |
| Orange \$3.00 \$2.80 |
| Red Top 3.50 3.30 |
| 100 100 |
| |
| MISCELLANEOUS |
| Poa Trivialis \$40.00 \$39.00 |
| White Clover 65.00 60.00 |
| Tenn. Ger. Millet . 3.20 3.00 |
| Common Lespedeza 12.50 12.00 |
| Kobe " . 12.50 12.00 |
| |
| ALL STATE TAGS AND |
| STAMPS INVOICED AT COST |

| SOY BEANS | |
|---------------------------------|--------|
| 1 to 9 10 | bags |
| bags or | more |
| Virginia \$1.50 \$ | |
| Black 1.45 | 1.40 |
| | 1.50 |
| | 1.50 |
| Mammoth Yellow 1.65 | 1.60 |
| COW PEAS | |
| Whipporwills \$1.85 | |
| New Era 1.75 | 1.70 |
| Mixed 1.65 | 1.60 |
| SEED CORN | |
| Reids Yellow Dent \$1.60 | 31.50 |
| Boone County White 1.60 | 1.50 |
| Johnson Co. White 1.60 | 1.50 |
| Hickory King 1.75 | 1.65 |
| SEED OATS | |
| White \$.75 | \$.70 |
| Red | .75 |
| | .95 |
| | ,,,, |
| LAWN GRASS | R CWT, |
| Shady Place | 28.00 |
| Gold Medal | 26.00 |
| Cherokee | 24 00 |
| In attractive one pound car | tone |
| packed thirty and fifty to a | 0000 |
| Above grades in bulk \$2.00 cwt | |
| | |
| SEED SOWERS EACH | DOZEN |
| Cyclone \$1.70 \$2 | |
| Horn | 7.10 |
| GOLD MEDAL INOCHLATO | 20 |

GOLD MEDAL INOCULATOR HIGH QUALITY HUMUS CULTURES

IMPORTANT: State size of cultures wanted, also kind of seed that is to be inoculated.

ORDERS FOR LESS THAN BAG LOTS WILL BE CHARGED FOR 50¢ PER 100 LBS HIGHER THAN LIST PRICES.

DISCLAIMER == The Louisville Seed Company gives no warranty, expressed or implied, as to description, quality or any other matter of any seed it sells and will not be responsible for the crop.



OUR GUARANTEE

IF ANY SHIPMENT OF SEEDS IS NOT AS GOOD AS SAMPLE OR BETTER; IF ANY SHIPMENT OF SEEDS IS NOT SOUND, CLEAN AND GOOD; IF WE DO NOT FULFILL EVERY WRITTEN OR VERBAL PROMISE; IN A WORD, IF YOU ARE NOT THOROUGHLY SATISFIED WITH GOLD MEDAL SEEDS SHIP THEM BACK IMMEDIATELY AT OUR EXPENSE. WE TAKE ALL THE RISK: WE STAND ALL COST.

TACK UP FOR FUTURE REFERENCE



"He Reaps Most Who Sows Best"

| Lbs. Per Bu. Lbs. Per Acre 47 Barley | LEG | LEGAL WEIGHTS OF SEED AND GRAIN ALSO QUANTITY PER ACRE | | |
|--|------|--|--------|--|
| 60 Beans, Soy, broadcast 60 — 80 14 Bluegrass, Kentucky 21 — 28 48 Buckwheat 50 — 75 50 Cane, Drill 10 — 15 50 Cane, broadcast 50 — 75 60 Clover, Alfalfa, drills 15 — 20 60 Clover, Alfalfa, broadcast 18 — 22 60 Clover, Alsike (alone for forage) 8 — 15 60 Clover, Alsike (on wheat or rye in spring) 4 — 6 60 Clover, Alsike (on wheat or rye in spring) 4 — 6 60 Clover, Japan (Lespedeza) 15 — 25 60 Clover, Sapling (Mammoth) 10 — 15 60 Clover, Red (alone for forage) 10 — 15 60 Clover, Red (on small grain in spring) 7 — 12 60 Clover, Sweet (hulled) 10 — 15 31 Clover, Sweet (unhulled) 20 — 30 40 Clover, White 10 — 20 50 Corn 6 — 12 50 Corn (for Silage) 40 — 56 50 Millet, All Varieties (for seed) 25 — 40 50 Millet, All V | Lbs. | | | |
| 60 Beans, Soy, broadcast 60 80 14 Bluegrass, Kentucky 21 28 48 Buckwheat 50 75 50 Cane, Drill 10 15 50 Cane, broadcast 50 75 60 Clover, Alfalfa, drills 15 20 60 Clover, Alfalfa, broadcast 18 22 60 Clover, Sapling (Mamoth) 10 15 60 Clover, Red (alone for forage) 10 15 60 Clover, Sweet (hulled) 10 15 | 47 | Barley | 75—100 | |
| 14 Bluegrass, Kentucky 21— 28 48 Buckwheat 50— 75 50 Cane, Drill 10— 15 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 31 Clover, Sweet (unhulled) 20— 30 40 Clover, White 10— 20 50 Corn 6— 12 50 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Va | 60 | Beans, Soy, drills | 30 40 | |
| 48 Buckwheat 50— 75 50 Cane, Drill 10— 15 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 31 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 50 Corn 6— 12 50 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 | 60 | Beans, Soy, broadcast | 60— 80 | |
| 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 31 Clover, Sweet (unbulled) 20—30 60 Clover, White 10—20 50 Corn 6—12 50 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (broadcast) 8—10 14 </td <td>14</td> <td></td> <td></td> | 14 | | | |
| 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) | 48 | Buckwheat | 50— 75 | |
| 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) | 50 | Cane, Drill | 10 15 | |
| 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15 | 50 | Cane, broadcast | 50— 75 | |
| 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15 <t< td=""><td>60</td><td>Clover, Alfalfa, drills</td><td>15 20</td></t<> | 60 | Clover, Alfalfa, drills | 15 20 | |
| 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15 56 Timothy 10— 15 | 60 | Clover, Alfalfa, broadcast | 18— 22 | |
| 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Timothy 10— 15 45 Timothy 10— 15 45 Timothy and Alsike | 60 | Clover, Alsike (alone for forage) | 8— 15 | |
| 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8 | 60 | | | |
| 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Timothy 10— 15 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 3 | 60 | | | |
| 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Timothy 10— 15 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50 | 25 | Clover, Japan (Lespedeza) | 15— 25 | |
| 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 < | 60 | Clover, Sapling (Mammoth) | 10— 15 | |
| 60 Clover, Sweet (hulled) .10— 15 33 Clover, Sweet (unhulled) .20— 30 60 Clover, White .10— 20 56 Corn 6— 12 56 Corn (for Silage) .40— 56 50 Millet, All Varieties (for seed) .25— 40 50 Millet, All Varieties (for hay) .40— 50 32 Oats .50— 65 14 Orchard Grass .20— 30 60 Peas, Cowpeas (drills) .45— 60 60 Peas, Cowpeas (broadcast) .75— 90 50 Rape (drill) .4— 8 50 Rape (broadcast) .8— 10 14 Red Top Fancy .7— 12 14 Red Top (unhulled) .10— 15 56 Rye .56—112 25 Sudan Grass .15— 25 45 Timothy .10— 15 45 Timothy and Alsike .8— 10 60 Vetch, Hairy (drills) .35— 50 60 Vetch, Hairy (broadcast) .50— 75 | 60 | Clover, Red (alone for forage) | 10— 15 | |
| 33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75 | 60 | Clover, Red (on small grain in spring) | 7— 12 | |
| 33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75 | 60 | Clover, Sweet (hulled) | 10— 15 | |
| 56 Corn 6— 12 56 Corn (for Silage) .40— 56 50 Millet, All Varieties (for seed) .25— 40 50 Millet, All Varieties (for hay) .40— 50 32 Oats .50— 65 14 Orchard Grass .20— 30 60 Peas, Cowpeas (drills) .45— 60 60 Peas, Cowpeas (broadcast) .75— 90 50 Rape (drill) .4— 8 50 Rape (broadcast) .8— 10 14 Red Top Fancy .7— 12 14 Red Top (unhulled) .10— 15 56 Rye .56—112 25 Sudan Grass .15— 25 45 Timothy .10— 15 45 Timothy and Alsike .8— 10 60 Vetch, Hairy (drills) .35— 50 60 Vetch, Hairy (broadcast) .50— 75 | 33 | Clover, Sweet (unhulled) | 20— 30 | |
| 56 Corn 6— 12 56 Corn (for Silage) .40— 56 50 Millet, All Varieties (for seed) .25— 40 50 Millet, All Varieties (for hay) .40— 50 32 Oats .50— 65 14 Orchard Grass .20— 30 60 Peas, Cowpeas (drills) .45— 60 60 Peas, Cowpeas (broadcast) .75— 90 50 Rape (drill) .4— 8 50 Rape (broadcast) .8— 10 14 Red Top Fancy .7— 12 14 Red Top (unhulled) .10— 15 56 Rye .56—112 25 Sudan Grass .15— 25 45 Timothy .10— 15 45 Timothy and Alsike .8— 10 60 Vetch, Hairy (drills) .35— 50 60 Vetch, Hairy (broadcast) .50— 75 | 60 | Clover, White | 10— 20 | |
| 50 Millet, All Varieties (for seed) .25— 40 50 Millet, All Varieties (for hay) .40— 50 32 Oats .50— 65 14 Orchard Grass .20— 30 60 Peas, Cowpeas (drills) .45— 60 60 Peas, Cowpeas (broadcast) .75— 90 50 Rape (drill) .4— 8 50 Rape (broadcast) .8— 10 14 Red Top Fancy .7— 12 14 Red Top (unhulled) .10— 15 56 Rye .56—112 25 Sudan Grass .15— 25 45 Timothy .10— 15 45 Timothy and Alsike .8— 10 60 Vetch, Hairy (drills) .35— 50 60 Vetch, Hairy (broadcast) .50— 75 | 56 | | | |
| 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 | 56 | Corn (for Silage) | 40— 56 | |
| 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75 | 50 | Millet, All Varieties (for seed) | 25— 40 | |
| 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 | 50 | Millet, All Varieties (for hay) | 40— 50 | |
| 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75 | 32 | | | |
| 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75 | 14 | | | |
| 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75 | 60 | Peas, Cowpeas (drills) | 45— 60 | |
| 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 | 60 | Peas, Cowpeas (broadcast) | 75 90 | |
| 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 | 50 | Rape (drill) | 4— 8 | |
| 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 | 50 | Rape (broadcast) | 8— 10 | |
| 56 Rye .56—112 25 Sudan Grass .15— 25 45 Timothy .10— 15 45 Timothy and Alsike .8— 10 60 Vetch, Hairy (drills) .35— 50 60 Vetch, Hairy (broadcast) .50— 75 | 14 | Red Top Fancy | 7— 12 | |
| 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) .35— 50 60 Vetch, Hairy (broadcast) .50— 75 | 14 | | | |
| 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) .35— 50 60 Vetch, Hairy (broadcast) .50— 75 | 56 | Rye | 56—112 | |
| 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 | 25 | Sudan Grass | 15— 25 | |
| 60 Vetch, Hairy (drills)35— 50 60 Vetch, Hairy (broadcast)50— 75 | 45 | Timothy | 10— 15 | |
| 60 Vetch, Hairy (broadcast)50— 75 | 45 | Timothy and Alsike | 8— 10 | |
| | 60 | Vetch, Hairy (drills) | 35— 50 | |
| 60 Wheat90—120 | 60 | | | |
| | 60 | Wheat | 90—120 | |

Louisville Seed Company

831 West Main Street

LOUISVILLE, KENTUCKY